Function


Giant aerator fountains can create breathtaking display for premier locations whenever a dramatic focus to a water feature is desired.

Shallow operating depth combined with other engineered features - the Giant Fountain is often chosen for it's beauty, versatility, ease of handling, and quality. Our collection includes the Aqua Star, Aries, Equinox, Mystic, Polaris, Super Nova, and Triad designs, all featuring multitiered and multidimensional designs.

Features:

- Complete package consist of Aerator unit and Cable with cable quick disconnect.
- · Shallow operating depth (min. depth) 1 meter of water.
- · CE, ETI & ETL-C certified
- Optional LED light available Fountain Glo LED Light.





Aquastar



Power	10 HP	15HP	25HP
Spray Height (m)	10.4	11.6	14.3
Spray Diameter (m)	9.4	10.7	12.2
Pumping Rate (m³/hr)	51.1	79.5	90.8
Voltage (V)	400	400	400
Phase	3	3	3
Amp	16	24	40
RPM @ Frequency	2875rpm @50Hz	2875rpm @50Hz	2875rpm @50Hz
LED lighting (optional)	4	4	4

Giant Fountain		Rev. 0

The information contained in this drawing is the sole property of Aquashi. Any reproduction in part or as a whole without the written permission of Aquashi is prohibited. Aquashi reserves the right to update all designs, specifications and data sheets without prior notice.



AQUASHI.CO.UK PG.1/4

Aries



10 HP	15HP	25HP
7	8	10
24	28	33
68	88	113
415	415	415
3	3	3
16	24	40
2875rpm @50Hz	2875rpm @50Hz	2875rpm @50Hz
4	4	4
	7 24 68 415 3 16 2875rpm @50Hz	7 8 24 28 68 88 415 415 3 3 16 24 2875rpm @50Hz

Giant Equinox



Power	10 HP	15HP	25HP
Spray Height (m)	8	9	12
Spray Diameter (m)	24	25	32
Pumping Rate (m³/hr)	68	88	113
Voltage (V)	415	415	415
Phase	3	3	3
Amp	16	24	40
RPM @ Frequency	2875rpm @50Hz	2875rpm @50Hz	2875rpm @50Hz
LED lighting (optional)	4	4	4

Triad



Power	10 HP	15HP	25HP
Spray Height (m)	10.4	11.6	14.3
Spray Diameter (m)	9.4	10.7	12.2
Pumping Rate (m³/hr)	68.1	88.5	113.5
Voltage (V)	400	400	400
Phase	3	3	3
Amp	16	24	40
RPM @ Frequency	2875rpm @50Hz	2875rpm @50Hz	2875rpm @50Hz
LED lighting (optional)	4	4	4

The information contained in this drawing is the sole property of Aquashi. Any reproduction in part or as a whole without the written permission of Aquashi is prohibited. Aquashi reserves the right to update all designs, specifications and data sheets without prior notice.



AQUASHI.CO.UK PG. 2/4

Mystic



Spray Height (m) 11.6 14.3 18.9 Spray Width (m) 1.8 1.8 1.8 Pumping Rate (m³/hr) 102.2 113.5 181.6 Voltage (V) 400 400 400 Phase 3 3 3 Amp 16 24 40 RPM @ Frequency 2875rpm @50Hz 2875rpm @50Hz 2875rpm @50Hz LED lighting (optional) 4 4 4	Power	10 HP	15HP	25HP
Pumping Rate (m³/hr) 102.2 113.5 181.6 Voltage (V) 400 400 400 Phase 3 3 3 Amp 16 24 40 RPM @ Frequency 2875rpm @50Hz 2875rpm @50Hz 2875rpm @50Hz	Spray Height (m)	11.6	14.3	18.9
Voltage (V) 400 400 400 Phase 3 3 3 Amp 16 24 40 RPM @ Frequency 2875rpm @50Hz 2875rpm @50Hz 2875rpm @50Hz	Spray Width (m)	1.8	1.8	1.8
Phase 3 3 3 Amp 16 24 40 RPM @ Frequency 2875rpm @50Hz 2875rpm @50Hz 2875rpm @50Hz	Pumping Rate (m³/hr)	102.2	113.5	181.6
Amp 16 24 40 RPM @ Frequency	Voltage (V)	400	400	400
RPM @ Frequency	Phase	3	3	3
ярм @ Frequency @50Hz @50Hz @50Hz	Amp	16	24	40
LED lighting (optional) 4 4 4	RPM @ Frequency			,
	LED lighting (optional)	4	4	4

Polaris



Power	10 HP	15HP	25HP
Spray Height (m)	7	8.5	10.1
Spray Diameter (m)	2.4	2.4	2.4
Pumping Rate (m³/hr)	153.2	170.3	272.4
Voltage (V)	400	400	400
Phase	3	3	3
Amp	16	24	40
RPM @ Frequency	2875rpm @50Hz	2875rpm @50Hz	2875rpm @50Hz
LED lighting (optional)	4	4	4

Super Nova



Power	10 HP	15HP	25HP
Spray Height (m)	15.8	20.1	27.4
Spray Diameter (m)	0.3	0.3	0.3
Pumping Rate (m³/hr)	51.1	79.5	90.8
Voltage (V)	400	400	400
Phase	3	3	3
Amp	16	24	40
RPM @ Frequency	2875rpm @50Hz	2875rpm @50Hz	2875rpm @50Hz
LED lighting (optional)	4	4	4

Giant Fountain		Rev. 0

The information contained in this drawing is the sole property of Aquashi. Any reproduction in part or as a whole without the written permission of Aquashi is prohibited. Aquashi reserves the right to update all designs, specifications and data sheets without prior notice.




AQUASHI.CO.UK PG. 3 / 4


LED Lights: (Optional)

Energy efficient low voltage LED light set available in combination of 4 lights. Sequencing option available on request.

Light Colour	Bright White	Warm White	RGBW
Power	6.5 W	6.5 W	40 W
Voltage	15V DC	15V DC	30V DC
Lumen	5700K	3000K	420/480/130/620

Sample installation





Max Depth (m)	Distance between two anchors (m)
1.5	3.4
1.8	4.6
2.1	6.1
2.4	9.1
2.7	12
3	16.7
3.3	21.2
3.6	26.8
3.9	30.3
4.2	36.4
4.6	42.4

^{**} Reference table for Required rope

Giant Fountain Rev. 0

The information contained in this drawing is the sole property of Aquashi. Any reproduction in part or as a whole without the written permission of Aquashi is prohibited. Aquashi reserves the right to update all designs, specifications and data sheets without prior notice.



AQUASHI.CO.UK PG. 4/4