Function

The niched brass Deck jet light fixture is designed for floor mounted installation to be flushed with the ground level. Available in LED white or RGBW, the lights are ideal for water play fountain installation. DMX controllability enables choreographed lighting effects. Supplied with a geyser jet, column jet, single stream or tri stream jet nozzle.



Specifications

Power 30 - 35W Voltage

12 - 24V DC

Colours RGBW/White

Cable

4 C - 1 mm² (DMX light) 2 C - 1.5 mm² (White light)

Standard Cable Length 2 m (Custom length available on request) Material:

Machined Brass

Light Front Cover:


Polycarbonate clear cover


Connection Sizes

1" BSP Inlet connection 3/4" BSP Electrical connections

Protection Rating:

IP 68, IK 10





Geyser Jet LED Deck Fountain

Model No.	Description	Nozzle Type	Light Colour	Light Control	Light Power (W)	A (mm)	B (mm)	Spray Height (m)	0.5	1	1.5	2
	Geyser jet fountain with	Geyser Jet	RGBW					Spread (m)	0.2	0.38	0.78	1.04
DJLED-035-GYR				DMX	35	216	83	Flow (LPM)	24.2	34.1	41.3	47.3
	RGBW light							Head (m)	1.1	2.8	3.5	4.8
	Geyser jet fountain with	Geyser Jet	Cool white	On/off	30			Spread (m)	0.2	0.38	0.78	1.04
DJLED-031-GYR						216	83	Flow (LPM)	24.2	34.1	41.3	47.3
	Cool white light							Head (m)	1.1	2.8	3.5	4.8
	Geyser jet							Spread (m)	0.2	0.38	0.78	1.04
DJLED-032-GYR	fountain with Warm white light	Geyser Jet	Warm white	On/off	30	216	83	Flow (LPM)	24.2	34.1	41.3	47.3
								Head (m)	1.1	2.8	3.5	4.8

 $^{^{*}}$ Add suffix DMX to model number to order DMX controlled white light. i.e. DJLED-032-GYR-DMX

^{*}Add suffix AUTO to model number to order Auto colour changing effect for RGBW light, i.e. DJLED-035-GYR-AUTO


Deck Jet Light	DJLED Series	Model No. DJLED	Rev. 1	
The information contained in this of	rawing is the sole property of	Aquashi Any reproduction in part	or as a whole	

The information contained in this drawing is the sole property of Aquashi. Any reproduction in part or as a whole without the written permission of Aquashi is prohibited. Aquashi reserves the right to update all designs, specifications and data sheets without prior notice.



AQUASHI.CO.UK PG.1/4







Column Jet LED Deck Fountain


Model No.	Description	Nozzle Type	Light Colour	Light Control	Light Power (W)	A (mm)	B (mm)	Spray Height (m)	0.5	1	1.5	2	2.5
D31 ED 07E CLM	Column jet	Column	DCDW	51.07	7.5	216	07	Flow (LPM)	39.6	53.9	66	77	88
DJLED-035-CLM	fountain with RGBW light	Jet	RGBW	DMX	35	216	83	Head (m)	2.7	5.4	8.4	11	13.8
571 55 677 6114	Column jet Column	Column	n Cool white	On/off	30	216	16 83	Flow (LPM)	39.6	53.9	66	77	88
DJLED-031-CLM	fountain with Cool white light	Jet						Head (m)	2.7	5.4	8.4	11	13.8
571.55.070.0114	Column jet	Column	Warm	0 / 55	7.0	03.5	0.7	Flow (LPM)	39.6	53.9	66	77	88
DJLED-032-CLM	fountain with Warm white light	white	On/off	30	216	6 83	Head (m)	2.7	5.4	8.4	11	13.8	

 $^{^{*}}$ Add suffix DMX to model number to order DMX controlled white light. i.e. DJLED-032-CLM-DMX

 $^{^* \}textit{Add suffix AUTO to model number to order Auto colour changing effect for RGBW light. i.e.} \ \textit{DJLED-035-CLM-AUTO}$







Sparkle Jet LED Deck Fountain

Model No.	Description	Nozzle Type	Light Colour	Light Control	Light Power (W)	A (mm)	B (mm)	Spray Height (m)	0.3	0.6	0.9	1.2	1.5
	Sparkle jet							Spread (m)	0.5	1	1.5	2	2.5
DJLED-035-SPK	fountain with	Sparkle Jet	RGBW	DMX	35	216	83	Flow (LPM)	63	86	105	119	135
	RGBW light							Head (m)	0.3	0.7	1	1.3	1.7
	Sparkle jet fountain with Cool white light		Cool white	On/off	30	216	6 83	Spread (m)	0.5	1	1.5	2	2.5
DJLED-031-SPK		Sparkle Jet						Flow (LPM)	63	86	105	119	135
								Head (m)	0.3	0.7	1	1.3	1.7
	Sparkle jet				30		6 83	Spread (m)	0.5	1	1.5	2	2.5
DJLED-032-SPK	fountain with	Sparkle Jet	Warm white	On/off		216		Flow (LPM)	63	86	105	119	135
	Warm white light							Head (m)	0.3	0.7	1	1.3	1.7


^{*} Add suffix DMX to model number to order DMX controlled white light. i.e. DJLED-032-SPK-DMX * Add suffix AUTO to model number to order Auto colour changing effect for RGBW light. i.e. DJLED-035-SPK-AUTO

Deck Jet Light	DJLED Series	Model No. DJLED	Rev. 1	
The information contained in this of	rawing is the sole property of	Aquashi. Any reproduction in part	or as a whole	aguas


without the written permission of Aquashi is prohibited. Aquashi reserves the right to update all designs, specificationsand data sheets without prior notice.



AQUASHI.CO.UK PG. 2 / 4









Single Stream Jet LED Deck Fountain

Model No.	Description	Nozzle Type	Light Colour	Light Control	Light Power (W)	A (mm)	B (mm)	Throw (m)	0.5	1	1.5	2	2.5
DJLED-035-SSJ foun	Circula atura en int	Single	RGBW					Height (m)	0.3	0.7	0.9	1.3	1.5
	Single stream jet fountain with	stream Jet		DMX	35	216	6 83	Flow (LPM)	12.8	17.8	19.9	24.1	26.3
	RGBW light							Head (m)	0.6	1.4	1.7	2.4	2.7
Single st	Single stream jet	Single				216		Height (m)	0.3	0.7	0.9	1.3	1.5
DJLED-031-SSJ		stream	Cool white	On/off	30		216 83	Flow (LPM)	12.8	17.8	19.9	24.1	26.3
		Jet						Head (m)	0.6	1.4	1.7	2.4	2.7
	Single stream jet	Single						Height (m)	0.3	0.7	0.9	1.3	1.5
DJLED-032-SSJ	fountain with Warm white light	stream Jet	Warm white	On/off	30	30 216	83	Flow (LPM)	12.8	17.8	19.9	24.1	26.3
								Head (m)	0.3	0.7	0.9	1.3	1.5

^{*} Add suffix DMX to model number to order DMX controlled white light. i.e. DJLED-032-SSJ-DMX

^{*} Add suffix AUTO to model number to order Auto colour changing effect for RGBW light. i.e. DJLED-035-SSJ-AUTO





Tri-stream Jet LED Deck Fountain

and data sheets without prior notice.

Model No.	Description	Nozzle Type	Light Colour	Light Control	Light Power (W)	A (mm)	B (mm)	Throw (m)	0.5	1	1.5	2	2.5
			RGBW				83	Height (m)	0.15	0.58	0.77	1.14	1.33
D31 ED 07E T03	Tri-stream jet fountain with RGBW light	Tri-		DMV	35	216		Spread (m)	0.15	0.58	0.77	1.14	1.33
DJLED-035-TSJ		stream Jet		DMX	33	210		Flow (LPM)	9.6	13.3	14.8	17.9	19.5
								Head (m)	0.7	1.4	1.8	2.4	2.8
								Height (m)	0.15	0.58	0.77	1.14	1.33
D11 ED 071 TC1	Tri-stream jet fountain with Cool white light	Tri- stream Jet	Cool white	On/off	30	216	83	Spread (m)	0.15	0.58	0.77	1.14	1.33
DJLED-031-TSJ							83	Flow (LPM)	9.6	13.3	14.8	17.9	19.5
								Head (m)	0.7	1.4	1.8	2.4	2.8
								Height (m)	0.15	0.58	0.77	1.14	1.33
D31 FD 073 TC3	Tri-stream jet	Tri-	Warm	On/off	7.0	216	216 83	Spread (m)	0.15	0.58	0.77	1.14	1.33
DJLED-032-TSJ	fountain with Warm white light	stream wh	white		30			Flow (LPM)	9.6	13.3	14.8	17.9	19.5
								Head (m)	0.7	1.4	1.8	2.4	2.8

^{*} Add suffix DMX to model number to order DMX controlled white light. i.e. DJLED-032-TSJ-DMX


 $^{^* \, \}text{Add suffix AUTO to model number to order Auto colour changing effect for RGBW light. i.e.} \, \, \text{DJLED-035-TSJ-AUTO}$


Deck Jet Light	DJLED Series	Model No. DJLED	Rev. 1	
The information contained in this of without the written permission of Aq				aquashi

AQUASHI.CO.UK PG. 3 / 4

RGBW Light Cable Connection (Grey) DMX (Green & Yellow) DMX+ (Black) 0VDC (Brown) 24VDC

Typical Installation





Deck Jet Light	DJLED Series	Model No. DJLED	Rev. 1
----------------	--------------	-----------------	--------

The information contained in this drawing is the sole property of Aquashi. Any reproduction in part or as a whole without the written permission of Aquashi is prohibited. Aquashi reserves the right to update all designs, specifications and data sheets without prior notice.



AQUASHI.CO.UK PG. 4/4