# Slab Hanger LED Light with Aquaswitch - SHLED-AS Series

## Function

Slab Hanger LED Light with Aquaswitch designed for dry deck fountains & walkable applications. Supplied pre-assembled complete with LED light, Aquaswitch and Column jet or Precision jet nozzle. The LED light is available in RGBW or white colour, DMX controlled for sequencing effects.

The Aquaswitch does not have any moving parts other than a solenoid which controls air intake to the activating ports in the device. The solenoid valve transfers air intake from one port to the other allowing the water flow inside the device to switch direction from one outlet to another through a process called the "Coanda effect".

Filtered water is essential for the Aquaswitch performance and reliability. A 120 mesh / 130 microns screen discharge filter is recommended on the delivery line to avoid clogging of the device.

### Specifications

Light Power 30 - 35W

Light Voltage 12 - 24V DC

#### Light Colours RGBW / White

Light Cable 4 C - 1 mm<sup>2</sup> (DMX light) 2 C - 1.5 mm<sup>2</sup> (White light)

### Light Material: Stainless steel 316

**Light Front Cover:** Polycarbonate clear cover Light Cable Length 2 m (Custom length available on request)


Aquaswitch Power 5W Aquswitch Voltage


24V DC (24V AC 50 - 60Hz available on request)

Aquaswitch Cable 3 C - 1 mm<sup>2</sup> Aquaswitch Material Plastic body with Stainless steel 316 nozzle.

Aquaswitch Cable Length 2 m (Custom length available on request)

**Protection Rating:** Light: IP 68, IK 10 Aquaswitch: IP 68









Round Slab Hanger LED Light with Column Jet Nozzle Aquaswitch

Model No.	Nozzle Type	Slab Hanger Shape	Light Colour	Light Control	Light Power (W)	Luminous Flux (lm)	A (mm)	B (mm)	Spray Height (m)	0.5	1	1.5	2	2.5
SHLED-S035R	- Column	Round	RGBW	DMX	35	1369	300	350	Flow (LPM)	35.8	41.8	47.9	53.9	60
AS-CLM	Jet	Round	RUDVV	DMA	22	1263	300	330	Head (m)	5.5	8.3	11	13.8	16.5
SHLED-S031R	- Column	Daurad	Cool	On /off	70	2110	700	750	Flow (LPM)	35.8	41.8	47.9	53.9	60
AS-CLM	Jet	Round	white	On/off	30	2118	300	350	Head (m)	5.5	8.3	11	13.8	16.5
SHLED-S032R	- Column	David	Warm	0	70	1071	700	750	Flow (LPM)	35.8	41.8	47.9	53.9	60
AS-CLM	Jet	Round	white	On/off	30	1871	300	350	Head (m)	5.5	8.3	11	13.8	16.5


\* Add suffix DMX to model number to order DMX controlled white light. i.e. SHLED-S032R-AS-CLM-DMX

\* Add suffix NM to model number to order a concrete niche mounted installation. i.e. SHLED-S032R-AS-CLM-NM \* Add suffix AUTO to model number to order Auto colour changing effect for RGBW light. i.e. SHLED-S035R-AS-CLM-AUTO

Aug same actor to moder number to order Auto colour changing effect for ROBWY light, i.e. SHLED-SUSSR-AS-CLM-AUTO

Slab Hanger LED Light with Aquaswitch	SHLED-AS Series	Model No. SHLED-AS	Rev. 1	
The information contained in this d without the written permission of Aq and data sheets without prior notice	uashi is prohibited. Aquashi rese			aquashi

# Slab Hanger LED Light with Aquaswitch - SHLED-AS Series




#### Square Slab Hanger LED Light with Column Jet Nozzle Aquaswitch

Model No.	Nozzle Type	Slab Hanger Shape	Light Colour	Light Control	Light Power (W)	Luminous Flux (lm)	A (mm)	B (mm)	Spray Height (m)	0.5	1	1.5	2	2.5
SHLED-S035S-	Column	Square	RGBW	DMX	35	1369	300	350	Flow (LPM)	35.8	41.8	47.9	53.9	60
AS-CLM	Jet	square	RODVV	DMA	20	1263	300	330	Head (m)	5.5	8.3	11	13.8	16.5
SHLED-S031S-	Column	C	Cool	0 / 55	70	2110	700	750	Flow (LPM)	35.8	41.8	47.9	53.9	60
AS-CLM	Jet	Square	white	On/off	30	2118	300	350	Head (m)	5.5	8.3	11	13.8	16.5
SHLED-S032S-	Column	_	Warm	- / <i>5</i>	7.0	1077	700	750	Flow (LPM)	35.8	41.8	47.9	53.9	60
AS-CLM	Jet	Square	white	On/off	30	1871	300 350		Head (m)	5.5	8.3	11	13.8	16.5

\* Add suffix DMX to model number to order DMX controlled white light. i.e. SHLED-S032S-AS-CLM-DMX

\* Add suffix NM to model number to order a concrete niche mounted installation. i.e. SHLED-S032S-AS-CLM-NM

\* Add suffix AUTO to model number to order Auto colour changing effect for RGBW light. i.e. SHLED-S035S-AS-CLM-AUTO



### Round Slab Hanger LED Light with Precision Jet Nozzle Aquaswitch

Model No.	Nozzle Type	Slab Hanger Shape	Light Colour	Light Control	Light Power (W)	Luminous Flux (lm)	A (mm)	B (mm)	Spray Height (m)	0.5	1	1.5	2	2.5
SHLED-S035R-	Precision	Daund	RGBW	DMV	75	1700	700	750	Flow (LPM)	27.5	34.1	40.7	46.2	51.7
AS-PJS	Jet	Round	ROBAA	DMX	35	1369	300	350	Head (m)	3.3	5.7	7.7	9.9	13.2
SHLED-S031R-	Precision		Cool	0 / 55	70	2110	700	750	Flow (LPM)	27.5	34.1	40.7	46.7	51.7
AS-PJS	Jet	Round	white	On/off	30	2118	300	350	Head (m)	3.3	5.7	7.7	9.9	13.2
SHLED-S032R-	Precision	5	Warm	0 / 55	70	1071	700	750	Flow (LPM)	27.5	34.1	40.7	46.7	51.7
AS-PJS	Jet	Round	white	On/off	30	1871	300 350		Head (m)	3.3	5.7	7.7	9.9	13.2


\* Add suffix DMX to model number to order DMX controlled white light. i.e. SHLED-S032R-AS-PJS-DMX

\* Add suffix NM to model number to order a concrete niche mounted installation. i.e. SHLED-S032R-AS-PJS-NM

\* Add suffix AUTO to model number to order Auto colour changing effect for RGBW light, i.e. SHLED-S035R-AS-PJS-AUTO

Slab Hanger LED Light with Aquaswitch	SHLED-AS Series	Model No. SHLED-AS	Rev. 1	
The information contained in this d without the written permission of Aq and data sheets without prior notice	uashi is prohibited. Aquashi rese			aquashi

# Slab Hanger LED Light with Aquaswitch - SHLED-AS Series




#### Square Slab Hanger LED Light with Precision Jet Nozzle Aquaswitch

Model No.	Nozzle Type	Slab Hanger Shape	Light Colour	Light Control	Light Power (W)	Luminous Flux (lm)	A (mm)	B (mm)	Spray Height (m)	0.5	1	1.5	2	2.5
SHLED-S035S-	Precision	Square	RGBW	DMX	35	1369	705	462	Flow (LPM)	27.5	34.1	40.7	46.2	51.7
AS-PJS	Jet	Square	ROBW	DMX	30	1263	305	462	Head (m)	3.3	5.7	7.7	9.9	13.2
SHLED-S031S-	Precision	Coulors	Cool	On laff	30	2110	705	(62)	Flow (LPM)	27.5	34.1	40.7	46.7	51.7
AS-PJS	Jet	Square	white	On/off	30	2118	305	462	Head (m)	3.3	5.7	7.7	9.9	13.2
SHLED-S032S-	Precision	Square	Warm	On/off	30	1871	305	462	Flow (LPM)	27.5	34.1	40.7	46.7	51.7
AS-PJS	Jet	Square	white	Un/off	30	1871	305	462	Head (m)	3.3	5.7	7.7	9.9	13.2


\* Add suffix DMX to model number to order DMX controlled white light. i.e. SHLED-S032S-AS-PJS-DMX

\* Add suffix NM to model number to order a concrete niche mounted installation, i.e. SHLED-S0325-AS-PJS-NM \* Add suffix AUTO to model number to order Auto colour changing effect for RGBW light, i.e. SHLED-S035S-AS-PJS-AUTO

# **Connection Diagram**



### Typical installations



Slab Hanger LED Light with Aquaswitch	SHLED-AS Series	Model No. SHLED-AS	Rev. 1	
The information contained in this d	0 1 1 3			aquashi

without the written permission of Aquashi is prohibited. Aquashi reserves the right to update all designs, specifications and data sheets without prior notice.

AQUASHI.CO.UK