

Giant Fountain


Function

Giant aerator fountains can create breathtaking display for premier locations whenever a dramatic focus to a water feature is desired.

Shallow operating depth combined with other engineered features - the Giant Fountain is often chosen for its beauty, versatility, ease of handling, and quality. Our collection includes the Aqua Star, Aries, Equinox, Mystic, Polaris, Super Nova, and Triad designs, all featuring multi-tiered and multi-dimensional designs.

Features:

- Complete package consist of Aerator unit and Cable with cable quick disconnect.
- Shallow operating depth (min. depth) 1 meter of water.
- CE, ETI & ETL-C certified
- Optional LED light available - Fountain Glo LED Light.



Aquastar



Power	10 HP	15HP	25HP
Spray Height (m)	Upper: 10.4 Lower: 2.4	Upper: 11.6 Lower: 3	Upper: 14.3 Lower: 3.7
Spray Diameter (m)	Upper: 0.3 Lower: 9.4	Upper: 0.3 Lower: 10.7	Upper: 0.3 Lower: 12.2
Pumping Rate (m ³ /Hr)	51.1	79.5	90.8
Voltage (V)	400	400	400
Phase	3	3	3
Amp	16	24	40
RPM @ Frequency	2875rpm @50Hz	2875rpm @50Hz	2875rpm @50Hz
LED lighting (optional)	4	4	4

Giant Fountain	Aeration Line		Rev. 1	
<p>The information contained in this drawing is the sole property of Aquashi. Any reproduction in part or as a whole without the written permission of Aquashi is prohibited. Aquashi reserves the right to update all designs, specifications and data sheets without prior notice.</p>				

Giant Fountain

Aries



Power	10 HP	15HP	25HP
Spray Height (m)	7	8	10
Spray Width (m)	24	28	33
Pumping Rate (m ³ /Hr)	68	88	113
Voltage (V)	415	415	415
Phase	3	3	3
Amp	16	24	40
RPM @ Frequency	2875rpm @50Hz	2875rpm @50Hz	2875rpm @50Hz
LED lighting (optional)	4	4	4

Giant Equinox



Power	10 HP	15HP	25HP
Spray Height (m)	8	9	12
Spray Diameter (m)	24	25	32
Pumping Rate (m ³ /Hr)	68	88	113
Voltage (V)	415	415	415
Phase	3	3	3
Amp	16	24	40
RPM @ Frequency	2875rpm @50Hz	2875rpm @50Hz	2875rpm @50Hz
LED lighting (optional)	4	4	4

Triad



Power	10 HP	15HP	25HP
Spray Height (m)	Upper: 10.4 Middle: 5.2 Lower: 2.4	Upper: 11.6 Middle: 5.8 Lower: 3	Upper: 14.3 Middle: 7.3 Lower: 3.7
Spray Diameter (m)	Upper: 0.15 Middle: 9.4 Lower: 9.4	Upper: 0.15 Middle: 10.7 Lower: 10.7	Upper: 0.15 Middle: 12.2 Lower: 12.2
Pumping Rate (m ³ /Hr)	68.1	88.5	113.5
Voltage (V)	400	400	400
Phase	3	3	3
Amp	16	24	40
RPM @ Frequency	2875rpm @50Hz	2875rpm @50Hz	2875rpm @50Hz
LED lighting (optional)	4	4	4

Giant Fountain	Aeration Line		Rev. 1	
<p>The information contained in this drawing is the sole property of Aquashi. Any reproduction in part or as a whole without the written permission of Aquashi is prohibited. Aquashi reserves the right to update all designs, specifications and data sheets without prior notice.</p>				

Giant Fountain

Mystic



Power	10 HP	15HP	25HP
Spray Height (m)	11.6	14.3	18.9
Spray Width (m)	1.8	1.8	1.8
Pumping Rate (m ³ /Hr)	102.2	113.5	181.6
Voltage (V)	400	400	400
Phase	3	3	3
Amp	16	24	40
RPM @ Frequency	2875rpm @50Hz	2875rpm @50Hz	2875rpm @50Hz
LED lighting (optional)	4	4	4

Polaris



Power	10 HP	15HP	25HP
Spray Height (m)	7	8.5	10.1
Spray Diameter (m)	2.4	2.4	2.4
Pumping Rate (m ³ /Hr)	153.2	170.3	272.4
Voltage (V)	400	400	400
Phase	3	3	3
Amp	16	24	40
RPM @ Frequency	2875rpm @50Hz	2875rpm @50Hz	2875rpm @50Hz
LED lighting (optional)	4	4	4

Super Nova



Power	10 HP	15HP	25HP
Spray Height (m)	15.8	20.1	27.4
Spray Diameter (m)	0.3	0.3	0.3
Pumping Rate (m ³ /Hr)	51.1	79.5	90.8
Voltage (V)	400	400	400
Phase	3	3	3
Amp	16	24	40
RPM @ Frequency	2875rpm @50Hz	2875rpm @50Hz	2875rpm @50Hz
LED lighting (optional)	4	4	4

Giant Fountain	Aeration Line		Rev. 1	
<p>The information contained in this drawing is the sole property of Aquashi. Any reproduction in part or as a whole without the written permission of Aquashi is prohibited. Aquashi reserves the right to update all designs, specifications and data sheets without prior notice.</p>				


Giant Fountain

LED Lights: (Optional)

Energy efficient low voltage LED light set available in combination of 4 lights. Sequencing option available on request.

Light Colour	Bright White	Warm White	RGBW
Power	6.5 W	6.5 W	40 W
Voltage	15V DC	15V DC	30V DC
Lumen	5700K	3000K	420/480/130/620

Sample installation



Giant Fountain	Aeration Line		Rev. 1	
<p>The information contained in this drawing is the sole property of Aquashi. Any reproduction in part or as a whole without the written permission of Aquashi is prohibited. Aquashi reserves the right to update all designs, specifications and data sheets without prior notice.</p>				